	Technical information	Document n° NT 135-02 EN
Subject: Additional CDI GET mounting kit reference 8829		Date 12/05/2020

Motocyclette/Motorcycle/Motocicleta				
50 2T	125 2T	250/300 4T	250/300 2T	450/500 4T

Subject: In the event of a quick degradation of the spark plug on the 250/300 2T models 2020, 2019 and Factory 2018, it is possible to convert the ignition system to capacitive with the following kit.

Please note: this modification requires a replacement of the ignition map (available on the Sherconetwork).

250 SE-R → 252CDI02

300 SE-R → 302CDI03


Kit composition ref 8829:

- Ignition coil Kokusan - ref 4003 x 1
- Coil support- ref 8455 x 1
- Silent bloc - ref 4729 x 2
- Screw M6x16 - ref 0656 x 2
- Screw M6x8 - ref 0592 x 2
- Nut M6 - ref M306 x 2
- Additional CDI - ref 8456 x 1
- Rubber CDI - ref 8536 x 1
- CDI support - ref 8457 x 1
- Washer – ref M317 x 2


Time required for the operation: 45 minutes

1. Before mounting, carry out the following tasks, referring to the workshop or user manual:


- Place the motorcycle on a suitable support and make sure that it is properly maintained.
- Remove the seat
- Remove the battery
- Remove the fuel tank
- Remove the ignition coil

	Technical information	Document n° NT 135-02 EN
Subject: Additional CDI GET mounting kit reference 8829		Date 12/05/2020


2. Proceed with the assembly of the different elements in the following order:




1 // Mounting the additional CDI support on the right side of the cylinder head




2 // Place the additional CDI and unscrew the ground located on the left cylinder head support



3 // Connect the ground of the additional CDI to the cylinder head support in addition to the existing one




4 // Connect the additional CDI to the main harness and the coil then mount the coil holder 8455

	Technical information	Document n° NT 135-02 EN
Subject: Additional CDI GET mounting kit reference 8829		Date 12/05/2020

3. Reassemble the different elements in the following order:

- Mount the ignition coil in its original location
- Mount the fuel tank
- Connect the battery

4. Download the appropriate map on the Sherconetwork and load it into the CDI box, following the procedure indicated in the workshop manual.



The screenshot shows the Sherco Network website interface. At the top, there is a navigation bar with the Sherco Network logo, a notification icon with '12', a user profile icon, and options for 'PRO H.T. PRICE', 'ENGLISH', and a power icon. Below the navigation bar is a banner image of three riders on a dirt track. Underneath the banner is a filter menu with categories: ALL, SPAREBOOK, OWNER'S MANUAL, WORKSHOP MANUAL, TECHNICAL NOTE, TECHNICAL SHEET, and INJECTION MAP (which is circled in red). To the right of the filter menu are dropdown menus for 'Type' (set to ALL) and 'Year' (set to ALL). Below the filter menu is a table with the following columns: Date, Description, File, and View.

Date	Description	File	View
0/03/2020		SPARE_PARTS_450_SCF-R_4T_2020.pdf	DOWNLOAD
9/03/2020		SPARE-PARTS_END_250-300_SE-R_FACTORY_2020.pdf	DOWNLOAD
9/03/2020		SPARE-PARTS_END_250-300_SE-R_2020.pdf	DOWNLOAD